



## CENTRALLOGIC® system

### Fresh air for your central ventilation system!

The average central ventilation system produces low levels of cooker hood extraction therefore ATAG has developed the CENTRALLOGIC® system to provide the additional power required for effective extraction.

CENTRALLOGIC® is a combination of two extraction systems: mechanical central ventilation and recirculation. By utilising the existing central ventilation system and combining it with CENTRALLOGIC® the extraction capacity can increase to as much as 500m<sup>3</sup> per hour.

This level of extraction is necessary as cooking on a gas hob, for example, produces an average of approximately 300m<sup>3</sup> of cooking vapours per hour. The extraction capacity of the average central ventilation system is between 120 and 150m<sup>3</sup> per hour. Consequently cooker hoods connected to a central ventilation system cannot cope with average loads.

CENTRALLOGIC® provides the solution through recirculation technology applied to create the extra, necessary capacity and is available in the ATAG Bloc model style chimney cooker hood in 600mm and 900mm widths.

## How CENTRALLOGIC® works

- Level 0** - no ventilation
- Level 1** - central ventilation
- Level 2** - central ventilation and recirculation (low)
- Level 3** - central ventilation and recirculation (medium)
- Level 4** - central ventilation and recirculation (high)

# Telescopic Cooker Hoods



**WV6011AM**  
600mm wide Telescopic Cooker Hood

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Unit mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Slim, stainless steel visor
- Filter frames finished in grey
- Visor can be replaced by a décor panel
- Sliding switch with cover

**Features:**

- 3 power levels
- 2 x metal filter cassettes
- Lighting (2 x 40W)

**Cleaning:**

- Washable filters

**Accessories:**

- Recirculation filter kit ACC917



**WV6111LM**  
600mm wide Stainless Steel Telescopic Cooker Hood

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Unit mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Slim, stainless steel visor
- Finished in stainless steel
- Soft touch push button controls

**Features:**

- High efficiency motor
- 3 power levels + full power
- Automatic 10 minute over-run
- 2 x stainless steel filter cassettes
- Halogen lights (2 x 20W)

**Cleaning:**

- Washable filters

**Accessories:**

- Recirculation filter kit ACC917



**WV9111LM**  
900mm wide Stainless Steel Telescopic Cooker Hood

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Unit mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Slim, stainless steel visor
- Finished in stainless steel
- Soft touch push button controls

**Features:**

- High efficiency motor
- 3 power levels + full power
- Automatic 10 minute over-run
- 4 x stainless steel filter cassettes
- Halogen lights (2 x 20W)

**Cleaning:**

- Washable filters

**Accessories:**

- Recirculation filter kit ACC917

# Integrated Cooker Hoods



**WI6055BM**  
600mm wide Integrated Cooker Hood

**Extraction type:**

- Direct ducting (120mm)

**Installation:**

- Unit mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Fully integrated installation behind a furniture panel
- Finished in white

**Features:**

- Metal filters cassettes
- Sliding switch
- Lighting (1 x PL 11W)

**Cleaning:**

- Washable filters



**WI6011CM**  
600mm wide Integrated Cooker Hood

**Extraction type:**

- Direct ducting (120mm – 150mm)

**Installation:**

- Unit mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Fully integrated installation behind a furniture panel
- Finished in stainless steel

**Features:**

- Metal filters cassettes
- Sliding switch
- Halogen lights (2 x 20W)

**Cleaning:**

- Washable filters

# Canopy Cooker Hoods



**WU5011BM**  
525mm wide Canopy Cooker Hood

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Unit mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Fully integrated canopy installation
- Finished in stainless steel
- Soft touch controls

**Features:**

- High performance radial motor
- 3 power levels
- Metal filter
- Use-controlled grease level indicator
- Automatic 10 minute over-run
- Halogen lights (2 x 20W)

**Cleaning:**

- Washable filter

**Accessories:**

- Recirculation filter kit ACC918



**WU7011BM**  
706mm wide Canopy Cooker Hood

**Installation:**

- Unit mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Styling:**

- Fully integrated canopy installation
- Finished in stainless steel
- Soft touch controls

**Features:**

- High performance radial motor
- 3 power levels
- Metal filter
- Indicator to signal filter cleaning
- Automatic 10 minute over-run
- Halogen lights (2 x 20W)

**Cleaning:**

- Washable filter

**Accessories:**

- Recirculation filter kit ACC918

# Chimney Cooker Hoods



**WS6011PM**  
600mm wide Chimney Hood

**Extraction type:**

- Direct ducting (120mm)
- Recirculation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Finished in stainless steel

**Features:**

- Radial motor
- 3 power levels
- Push buttons
- 2 metal filters
- Lighting via 2 x 40W bulbs

**Cleaning:**

- Washable filters

**Accessories:**

- Recirculation filter kit ACC917
- Splash back AW111F



**WS9011PM**  
900mm wide Chimney Hood

**Extraction type:**

- Direct ducting (120mm)
- Recirculation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Wall mounted chimney hood
- Finished in stainless steel

**Features:**

- Radial motor
- 3 power levels
- Push buttons
- 3 metal filters
- Lighting via 2 x 40W bulbs

**Cleaning:**

- Washable filters

**Accessories:**

- Recirculation filter kit ACC917
- Splash back AW311F



**WS9011AM (Air Logic)**  
900mm wide Chimney Hood

**Extraction type:**

- Direct ducting (125mm – 150mm)
- Re-circulation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Wall mounted chimney hood
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- High performance radial motor
- 4 power levels
- Soft touch controls
- 2 metal filters
- Halogen lights (2 x 20W)

**Cleaning:**

- Washable filters

**Accessories:**

- Recirculation modification kit RMS9011A
- Recirculation filter kit ACC921
- Splash back AW311F

# Chimney Cooker Hoods



**WS9011DM (Air Logic)**  
900mm wide x 630mm deep Chimney Hood

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Re-circulation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Extra deep wall mounted chimney hood
- Ideal for installation above extra deep work surfaces
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- High performance radial motor
- 4 power levels
- Soft touch controls
- 2 metal filters
- Halogen lights (2 x 20W)

**Cleaning:**

- Washable filters

**Accessories:**

- Recirculation modification kit RMS9011A
- Recirculation filter kit ACC921
- Splash back AW311F



**WS1011LM**  
1000mm wide Chimney Hood (Range Cooker)

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Designed to complement the ATAG Range Cooker
- Finished in stainless steel with black trim

**Features:**

- High performance radial motor
- 3 power levels
- Soft touch controls
- 3 metal filters
- Halogen lights (2 x 20W)

**Cleaning:**

- Washable filters

**Accessories:**

- Recirculation filter kit ACC918
- Splash back AW1011L



**WG411V (Air Logic)**  
900mm wide Linear Style Chimney Hood

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 700mm

**Styling:**

- Linear Style, pinnacle chimney hood
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator

**Adjustable over-run time**

- 2 x woven steel filter cassettes
- High performance motor
- 4 power levels
- Soft touch controls
- Adjustable mood or preparation lighting
- Halogen lights (2 x 20W)

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- Splash back AW311F
- Recirculation modification kit RMS9011D
- Recirculation filter kit ACC914

# Chimney Cooker Hoods



**WS9011FM**  
900mm wide Diagonal Chimney Hood

**Extraction type:**

- Direct ducting only (120mm - 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Diagonal wall mounted chimney hood
- Finished in stainless steel and black glass

**Features:**

- Use-controlled grease level indicator
- Over-run time (15 min.)
- 1 x aluminium filter cassette
- Soft touch controls
- 4 power levels + full power
- Halogen lights (2 x 20W)

**Cleaning:**

- Washable filters

**Accessories:**

- Splash back AW311F
- Recirculation filter kit ACC918



**WS9070FM**  
900mm wide Diagonal Chimney Hood

**Extraction type:**

- Direct ducting only (120mm - 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Diagonal wall mounted chimney hood
- Finished in stainless steel and black glass

**Features:**

- Use-controlled grease level indicator
- Over-run time (15 min.)
- 1 x aluminium filter cassette
- Soft touch controls
- 4 power levels + full power
- Halogen lights (2 x 20W)

**Cleaning:**

- Washable filters

**Accessories:**

- Splash back AW311F
- Recirculation filter kit ACC918



# Chimney Cooker Hoods



**WS9011NM (Air Logic)**  
**900mm wide Vision Style Chimney Hood**

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Vision Style, stepped chimney hood
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- 2 x woven steel filter cassettes
- High performance motor
- 4 power levels
- Soft touch controls
- Adjustable mood or preparation lighting
- Halogen lights (2 x 20W)

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- Splash back AW311F
- Recirculation modification kit RMS9011D
- Recirculation filter kit ACC914



**WS1211NM (Air Logic)**  
**1200mm wide Vision Style Chimney Hood**

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Re-circulation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Vision Style, stepped chimney hood
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- 4 x woven steel filter cassettes
- High performance motor
- 4 power levels
- Soft touch controls
- Adjustable mood or preparation lighting
- Halogen lights (4 x 10W)

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- Recirculation modification kit RMS9011F
- Recirculation filter kit ACC923

# Chimney Cooker Hoods



## **WS9011EM** 900mm wide Futura Style Chimney Hood

### Extraction type:

- Direct ducting only (120mm - 150mm)
- Recirculation (via accessory kit)

### Installation:

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

### Styling:

- Futura Style, stepped chimney hood
- Finished in stainless steel

### Features:

- Use-controlled grease level indicator
- Over-run time (15 min.)
- 3 x aluminium filter cassettes
- 4 power levels
- Soft touch controls
- Halogen lights (2 x 20W)

### Cleaning:

- Washable filters

### Accessories:

- Splash back AW311F
- Recirculation filter kit ACC918



## **WG311U (Motor not included - Air Logic)** **WG411U (Air Logic)** 900mm wide Futura Style Chimney Hood

### Extraction type:

- Direct ducting only (120mm - 150mm)

### Installation:

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

### Styling:

- Futura Style, slim-line chimney hood
- Finished in stainless steel

### Features:

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- Adjustable over-run time
- 2 x woven steel filter cassettes
- High performance motor
- 4 power levels
- Soft touch controls
- Auto dimming mood or preparation lighting
- Halogen lights (2 x 20W)

### Cleaning:

- Dishwasher safe filters

### Accessories:

- Splash back AW311F
- External motor WA300C or WA111C for combination with WG311U

# Chimney Cooker Hoods



**WS9011ZM (Air Logic)**  
**900mm wide Horizon Style Chimney Hood**

**Extraction type:**

- Direct ducting only (120mm - 150mm)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Horizon Style, glass profiled slim-line chimney hood
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- Adjustable over-run time
- 2 x woven steel filter cassettes
- High performance motor
- 4 power levels
- Touch controls+
- Illuminated glass profile

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- Splash back AW311F



**WS1011ZM (Air Logic)**  
**1200mm wide Horizon Style Chimney Hood**

**Extraction type:**

- Direct ducting only (120mm - 150mm)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Horizon Style, glass profiled slim-line chimney hood
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- Adjustable over-run time
- 2 x woven steel filter cassettes
- High performance motor
- 4 power levels
- Touch controls+
- Illuminated glass profile

**Cleaning:**

- Dishwasher safe filters

# Chimney Cooker Hoods



**WM411S (Air Logic)**  
900mm wide Mistral Style Fully Electronic Chimney Hood

**Extraction type:**

- Direct ducting only (120mm – 150mm)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Mistral Style chimney hood
- Finished in stainless steel and black glass

**Features:**

- Unique 'hands free' control
- Synchro-start co-ordination with selected:
  - ATAG Induction hobs (excluding Domino)
  - ATAG Ceramic hobs
- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- Adjustable over-run time
- 2 x woven steel filter cassettes
- High performance motor
- 4 power levels
- Synchro-control auto dimming mood or preparation lighting
- Halogen lights (2 x 20W)

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- Splash back AW311F



**WS9011HM**  
900mm wide Bloc Style Chimney Hood

**Extraction type:**

- Direct ducting only (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Finished in stainless steel

**Features:**

- 3 aluminium filters
- 4 power levels + full power
- Halogen lights (2 x 50W)
- Soft touch controls

**Cleaning:**

- Washable filters

**Accessories:**

- Splash back AW311F
- Recirculation filter kit ACC925

# Chimney Cooker Hoods



**WS9011MM (Air Logic)**  
900mm wide Bloc Style Chimney Hood

Extraction type:

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

Installation:

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

Styling:

- Bloc Style chimney hood
- Finished in stainless steel

Features:

- Air-Logic high performance filtration system
- Use-controlled grease level indicator

- 2 x woven steel filter cassettes
- High performance motor
- Adjustable over-run time
- 4 power levels
- Soft touch controls
- Adjustable mood or preparation lighting
- Halogen lighting (2 x 20W)

Cleaning:

- Dishwasher safe filters

Accessories:

- Splash back AW311F
- Recirculation modification kit RMS9011D
- Recirculation filter kit ACC914



**WS9092MM (Air Logic)**  
900mm wide Graphite Black Line - Bloc Style Chimney Hood

Extraction type:

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

Installation:

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

Styling:

- Bloc Style chimney hood
- Finished in Graphite Black

Features:

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- 2 x woven steel filter cassettes
- High performance motor
- Adjustable over-run time
- 4 power levels
- Soft touch controls
- Halogen lighting (2 x 20W)

Cleaning:

- Dishwasher safe filters

Accessories:

- Splash back AW311F
- Recirculation modification kit RMS9011D
- Recirculation filter kit ACC914

# Chimney Cooker Hoods



**WM411T (Air Logic)**  
**900mm wide Magna Design Line - Bloc Style Chimney Hood**

**Extraction type:**

- Direct ducting only (120mm – 150mm)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Magna Design Line trim
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- 2 x woven steel filter cassettes
- High performance motor
- Adjustable over-run time
- 4 power levels
- Touch control+
- Halogen lighting (2 x 20W)

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- Splash back AW311F



**WM611T (Air Logic)**  
**1100mm wide Magna Design Line - Bloc Style Chimney Hood**

**Extraction type:**

- Direct ducting only (120mm – 150mm)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Magna Design Line trim
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- 2 x woven steel filter cassettes
- High performance motor
- Adjustable over-run time
- 4 power levels
- Touch control+
- Halogen lighting (2 x 20W)

**Cleaning:**

- Dishwasher safe filters

# Chimney Cooker Hoods



**WS1211MM (Air Logic)**  
**1200mm wide Bloc Style Chimney Hood**

**Extraction type:**

- Direct ducting (125mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- 4 x woven steel filter cassettes
- High performance motor
- Adjustable over-run time
- 4 power levels
- Soft touch controls
- Halogen lighting (4 x 10W)
- Adjustable mood or preparation lighting

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- Recirculation modification kit RMS9011F
- Recirculation filter kit ACC923



**WS1292MM (Air Logic)**  
**1200mm wide Graphite Black Line - Bloc Style Chimney Hood**

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Re-circulation (via accessory kit)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Finished in Graphite Black

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- 4 x woven steel filter cassettes
- High performance motor
- Adjustable over-run time
- 4 power levels
- Soft touch controls
- Halogen lighting (4 x 10W)
- Adjustable mood or preparation lighting

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- Recirculation modification kit RMS9011D
- Recirculation filter kit ACC923

# Chimney Cooker Hood



**WS1211QM**  
1200mm wide Magna Design Line - Bloc Style Chimney Hood

**Extraction type:**

- Direct ducting (150mm)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Magna Design Line trim
- Finished in stainless steel

**Features:**

- 4 x aluminium filter cassettes
- High performance motor
- Over-run time (20 min.)
- 4 power levels
- Soft touch controls
- Halogen lighting (3 x 20W)

**Cleaning:**

- Washable filters



**WS1511QM**  
1500mm wide Magna Design Line - Bloc Style Chimney Hood

**Extraction type:**

- Direct ducting (150mm)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Magna Design Line trim
- Finished in stainless steel

**Features:**

- 5 x aluminium filter cassettes
- High performance motor
- Over-run time (20 min.)
- 4 power levels
- Soft touch controls
- Halogen lighting (3 x 20W)

**Cleaning:**

- Washable filters

# Chimney Cooker Hoods



**WS6011QR**  
600mm wide Magna Design Line  
Central Logic - Bloc Style Chimney Hood

**Extraction type:**

- Direct ducting/recirculation (125mm)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Magna Design Line trim
- Finished in stainless steel

**Features:**

- 2 x aluminium filter cassettes
- High performance motor
- Over-run time (20 min.)
- 4 power levels
- Touch control+
- Halogen lighting (2 x 20W)

**Cleaning:**

- Washable filters



**WS9011QR**  
900mm wide Magna Design Line  
Central Logic - Bloc Style Chimney Hood

**Extraction type:**

- Direct ducting/recirculation (125mm)

**Installation:**

- Wall mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Magna Design Line trim
- Finished in stainless steel



**ES1211NM**  
1200mm wide Vision Style Island Chimney Hood

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Ceiling mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Vision Style, stepped chimney hood
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator

- Adjustable over-run time
- 4 x woven steel filter cassettes
- High performance motor
- 4 power levels
- Soft touch controls
- Adjustable mood or preparation lighting
- Halogen lights (2x 20W)

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- Recirculation modification kit RMS9011G
- Recirculation filter kit ACC923

# Island Chimney Cooker Hoods



**EG311U (Motor not included - Air Logic)**  
**EG411U (Air Logic)**  
**900mm wide Futura Style Island Chimney Hood**

**Extraction type:**

- Direct ducting only (120mm – 150mm)

**Installation:**

- Ceiling mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Futura Style, slim-line chimney hood
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- Adjustable over-run time
- 3 x woven steel filter cassettes
- High performance motor
- 4 power levels
- Soft touch controls
- Auto dimming mood or preparation lighting
- Halogen lights (4 x 10W)

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- External motor WA300C or WA111C for combination with EG311U



**ES1011ZM (Air Logic)**  
**1200mm wide Horizon Style Island Chimney Hood**

**Extraction type:**

- Direct ducting only (120mm – 150mm)

**Installation:**

- Ceiling mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Horizon Style, glass profiled slim-line chimney hood
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- 4 x woven steel filter cassettes
- High performance motor
- Adjustable over-run time
- 4 power levels
- Touch controls+
- Illuminated glass profile

**Cleaning:**

- Dishwasher safe filters

# Island Chimney Cooker Hoods



**ES9011EM**  
900mm wide Bloc Style Island Chimney Hood

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Ceiling mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Finished in stainless steel

**Features:**

- Use-controlled grease level indicator
- 3x aluminium filter cassettes
- High performance motor
- Over-run time (15 min.)
- 4 power levels
- Soft touch controls
- Halogen lighting (4 x 10W)

**Cleaning:**

- Washable filters

**Accessories:**

- Splash back AW311F
- Recirculation filter kit ACC918



**ES1211MM (Air Logic)**  
1200mm wide Bloc Style Island Chimney Hood

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Ceiling mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Finished in stainless steel

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- 4 x woven steel filter cassettes
- High performance motor
- Adjustable over-run time
- 4 power levels
- Soft touch controls
- Halogen lighting (4 x 10W)
- Auto dimming mood or preparation lighting

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- Recirculation modification kit RMS9011G
- Recirculation filter kit ACC923

# Island Chimney Cooker Hood



**ES1292MM (Air Logic)**  
1200mm wide Graphite Black Line Bloc Style Island Chimney Hood

**Extraction type:**

- Direct ducting (120mm – 150mm)
- Recirculation (via accessory kit)

**Installation:**

- Ceiling mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Finished in Graphite Black

**Features:**

- Air-Logic high performance filtration system
- Use-controlled grease level indicator
- 4 x woven steel filter cassettes
- High performance motor
- Adjustable over-run time
- 4 power levels
- Soft touch controls
- Halogen lighting (4 x 10W)
- Auto dimming mood or preparation lighting

**Cleaning:**

- Dishwasher safe filters

**Accessories:**

- Recirculation modification kit RMS9011G
- Recirculation filter kit ACC923



**ES1211QM**  
1200mm wide Magna Design Line Bloc Style Island Chimney Hood

**Extraction type:**

- Direct ducting (150mm)

**Installation:**

- Ceiling mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Magna Design Line trim
- Finished in stainless steel

**Features:**

- 4 x aluminium filter cassettes
- High performance motor
- Over-run time (20 min.)
- 4 power levels
- Soft touch controls
- Halogen lighting (6 x 20W)

**Cleaning:**

- Washable filters

# Island Chimney Cooker Hoods



**ES1511QM**  
1500mm wide Magna Design Line Bloc Style Island Chimney Hood

**Extraction type:**

- Direct ducting (150mm)

**Installation:**

- Ceiling mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Magna Design Line trim
- Finished in stainless steel

**Features:**

- 5 x aluminium filter cassettes
- High performance motor
- Over-run time (20 min.)
- 4 power levels
- Soft touch controls
- Halogen lighting (6 x 20W)

**Cleaning:**

- Washable filters



**ES1811QM**  
1800mm wide Magna Design Line Bloc Style Island Chimney Hood

**Extraction type:**

- Direct ducting (150mm)

**Installation check:**

- Ceiling mounted
- Mounting heights above:
  - Gas hobs 650mm
  - Induction/ceramic 550mm

**Styling:**

- Bloc Style chimney hood
- Magna Design Line trim
- Finished in stainless steel

**Features:**

- 6 x aluminium filter cassettes
- Twin high performance motor
- Over-run time (20 min.)
- 4 power levels
- Soft touch controls
- Halogen lighting (8 x 20W)


**Cleaning:**

- Washable filters



**WA300C**  
**External Motor (Wall Mounted)**

- External wall mounted
- Galvanised steel casing
- Radial motor with 4mtr ducting (180mm)
- Maximum ducting length 15mtrs



**WA111C**  
**External Motor (Attic Mounted)**

- External attic mounted
- Stainless steel casing
- Radial motor with 6mtr ducting (180mm)
- Maximum ducting length 15mtrs
- Telescopic hose with flexible outlet (250mm – 400mm)

# Cooker Hoods Accessories



**Recirculation conversion kit**

- Suitable for the following hoods:
- ACC914: all 'Air-logic' wall models (except WS1211..)
  - ACC915: all 'Air-logic' island models (except ES1211..)
  - ACC917:
    - WI6055BM
    - WV6011AM
    - WV6111LM
    - WV9111LM
    - WS6011PM
    - WS9011PM
  - ACC918:
    - WU5011BM
    - WU7011BM
    - WS1011LM
    - WS9011EM
    - ES9011EM
    - WS9011FM
    - WS9070FM
  - ACC921:
    - WS9011AM
    - WS9011DM
- ACC923:
    - ES1211MM
    - ES1292MM
    - ES1211NM
    - WS1211MM
    - WS1292MM
    - WS1211NM
  - ACC925: - WS9011HM

**Recirculation modification kit**

- Suitable for the following hoods:
- RMS9011A:
    - WS9011AM
    - WS9011DM
  - RMS9011B: - WS9011BM
  - RMS9011D:
    - WG411V
    - WS9011MM
    - WS9011NM
  - RMS9011F:
    - WS1211MM
    - WS1211NM
  - RMS9011G:
    - ES1211MM
    - ES1211NM



**Splash back stainless steel**

- AW111F:
  - width x depth x height (mm)
  - 600 x 15 x 750
- AW311F:
  - width x depth x height (mm)
  - 900 x 15 x 750
- AW1011F:
  - width x depth x height (mm)
  - 1000 x 10 x 750